

Europäisches Patentamt  
European Patent Office  
Office européen des brevets

(11)

**EP 0 873 549 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:  
**08.08.2001 Bulletin 2001/32**

(51) Int. Cl. 7 : **G06F 17/60**

(86) International application number:  
**PCT/IB96/01479**

(21) Application number: **96942546.1**

(87) International publication number:  
**WO 97/22072 (19.06.1997 Gazette 1997/26)**

(22) Date of filing: **12.12.1996**

(54) **ELECTRONIC TRADING SYSTEM INCLUDING AN AUTO-ARBITRAGE FEATURE OR NAME SWITCHING FEATURE**

ELEKTRONISCHES HANDELSSYSTEM MIT AUTOMATISCHER ARBITRAGE ODER MIT AUSTAUSCH VON NAMEN

SYSTEME DE COMMERCE ELECTRONIQUE A FONCTION D'AUTOARBITRAGE OU FONCTION DE COMMUTATION DE NOMS

(84) Designated Contracting States:  
**AT BE CH DE DK ES FR GB GR IE IT LI LU MC  
NL PT SE**

(72) Inventors:  
• **WILTON, Rosalyn, S.**  
**Kent TN8 6RG (GB)**  
• **SILVERMAN, David, L.**  
**Saint James, NY 11780 (US)**

(30) Priority: **12.12.1995 US 571106**

(43) Date of publication of application:  
**28.10.1998 Bulletin 1998/44**

(74) Representative:  
**Musker, David Charles et al**  
**R.G.C. Jenkins & Co.**  
**26 Caxton Street**  
**London SW1H 0RJ (GB)**

(60) Divisional application:  
**01100965.1 / 1 104 904**

(73) Proprietor: **REUTERS LIMITED**  
**London, EC4P 4AJ (GB)**

(56) References cited:  
**EP-A- 0 399 850** **EP-A- 0 512 702**  
**WO-A-96/05563** **US-A- 5 375 055**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 0 873 549 B1**

## Description

**[0001]** The present invention relates to an electronic trading system which automatically identifies arbitrage opportunities created by credit-related discrepancies within a market and optionally automatically executes the appropriate trades, thereby enabling a trading entity to extract low-risk trading profit from the market.

**[0002]** In electronic trading system for markets in which credit risks and settlement risks are born by trading parties, the trading parties input credit lines into the trading system which are used to limit a trading entity's exposure created by transactions with other trading entities on the system. For example, by entering a low or zero credit line for a particular trading counterparty, a trading entity prevents most or all potential trades between itself and the potential counterparty. Thus, by adjusting a counterparty's credit line, a trading entity may limit its gross or net exposure (outstanding risk) based on transactions with individual counterparties and its total exposure to all counterparties.

**[0003]** In a matching system which enables trading entities to enter credit limits, such as those described in U.S. Patent No. 5,136,501 (EP-A-0 399 850) and U.S. Patent No. 5,375,055, the credit parameters input by the trading entities may result in situations in which a first trading entity, trading entity S1, enters an offer which matches a bid entered by a second trading entity, trading entity S2, but the system will not execute the trade because either trading entity S1 has not extended sufficient credit to trading entity S2, trading entity S2 has not extended sufficient credit to trading entity S1, or both. Otherwise stated, there is insufficient bilateral credit availability between trading entity S1 and trading entity S2. Notably, the trading entities may be individual banks and trading institutions and/or groups of banks and trading institutions.

**[0004]** Similarly, trading entity S2 may enter a bid with a higher price than an offer entered by trading entity S1. Again, S1 and S2 cannot trade with one another because there is insufficient bilateral credit availability between the two. In this instance, an "arbitrage" opportunity exists in that a third party, trading entity S3, which has sufficient bilateral credit with both trading entity S1 and trading entity S2, may buy from S1 at a low price and sell to S2 at a higher price, thereby obtaining an immediate, low-risk profit due to the credit discrepancies in the market.

**[0005]** The known electronic trading systems do not provide any means for automatically identifying an arbitrage opportunity created by credit discrepancies in the market and optionally automatically executing the appropriate transactions, thereby enabling trading entity S3 to automatically, efficiently and effectively capitalize on the arbitrage opportunity and increasing the liquidity of the market without the addition of new bids and offers. While the system described in U.S. Patent No. 5,375,055 displays the best available offer and bid prices to market makers, thereby indicating that an arbitrage opportunity exists when there is a discrepancy between the two prices displayed, the '055 system does not provide any means for automatically identifying and/or capitalizing on the arbitrage opportunity. Furthermore, the known trading systems do not provide any means of ensuring that all trades needed to successfully complete the arbitrage transaction will occur prior to executing any of the trades such that trading entity S3 does not incur the risk of only one side of the arbitrage transaction being executed.

**[0006]** A related drawback of known electronic trading systems which accommodate markets in which the trading entities bear a credit and/or settlement risk is that these systems do not provide a means by which a less credit-worthy trading entity, trading entity S4, may trade with other trading entities using the credit line of a more credit worthy trading entity. For example, if trading entity S4 enters a bid which is compatible with trading entity S2's offer, but trading entity S2 has not extended sufficient credit to trading entity S4, no transaction could occur in the known trading systems. However, if trading entity S4 were able to use another trading entity's (e.g., S1 or S3) credit line to complete the transaction (assuming that trading entity S1 or S3 has sufficient credit with trading entity S2 and S4) through an agreement between trading entity S4 and trading entity S1 or S3, the liquidity of the market would again be increased. This "name switch" procedure may be instantaneous (no discretion option is provided) or may be implemented to allow discretion of the part of the user in the context of an electronic trading system.

**[0007]** The practice of name switching in which one party trades under the credit lines of another party may currently be accomplished through the use of a broker. However, there are presently no electronic trading systems which can automatically, instantaneously, and effectively perform the name switch procedure.

**[0008]** The present invention is defined in appended claims 1, 8, 13, and 20. An embodiment of the present invention can thus automatically identify arbitrage opportunities arising from price anomalies that arise due to credit discrepancies within a market.

**[0009]** An embodiment of the present invention provides an electronic trading system which automatically and efficiently executes the trades necessary to complete an arbitrage transaction without risk to the trading entity, or automatically provide a trading entity with the option to initiate the arbitrage trade.

**[0010]** An electronic trading system having a name switch feature according to an embodiment of the present invention includes a plurality of trader terminals for receiving credit parameter data, name switch parameter data, and trading data from a trading entity and displaying trade information to the trading entity. The trading data

includes bid and/or offer information input by the trading entity. The system also includes a computer connected to the plurality of trader terminals via a communications network, wherein the computer receives and stores the credit parameter data, the name switch parameter data, and the trading data from the plurality of trader terminals. A circuit or program automatically detects available name switch transactions based on the credit parameter data, the name switch parameter data, and the trading data, and automatically executes available name switch transactions.

[0011] The electronic trading system according to an embodiment of the present invention is designed to take advantage of arbitrage opportunities that exist in a market due to credit discrepancies between the parties. This type of arbitrage is distinguishable from more traditional arbitrage in which price discrepancies are created by friction within the functioning of a market, such as the logistics of completing and settling transactions. This type of arbitrage can be eliminated as markets become more efficient. However, arbitrage opportunities based on credit discrepancies as addressed by an embodiment of the present invention will always exist because not all entities are willing to extend the same amount of credit to all other trading entities.

[0012] Also, the intra-market type of arbitrage accommodated by the system according to an embodiment of the present invention is distinguishable from inter-market arbitrage, for example, "spread" trading in commodity futures markets. Systems that accommodate spread trading, whereby, for example, a party trades one contract month for another contract month of the same commodity ("calendar spreads") or one commodity for another commodity, are known in the art. For example, the GLOBEX® trading system developed by Reuters Limited of London, England accommodates these types of inter-market trades.

[0013] Embodiments of the present invention will now be described with reference to the accompanying drawings, in which:

FIG. 1 provides a diagram of an electronic trading system according to an embodiment of the present invention, including a computer and four trader terminals.

FIG. 2 provides a diagram of a credit matrix including credit parameters entered by each trading entity in the system according to an embodiment of the present invention.

FIG. 3 provides a diagram of a market "book" including all bids and offers available in the market at a specific time.

FIG. 4 provides a diagram of trading entity S1's display screen which displays only those bids and offers which are available to trading entity S1 based on bilateral credit availability.

FIG. 5 provides a diagram of trading entity S2's display screen which displays only those bids and offers which are available to trading entity S2 based on bilateral credit availability.

FIG. 6A provides a diagram of a display screen for either trading entity S3 or S4 which displays only those bids and offers which are available to the trading entity based on bilateral credit availability.

FIG. 6B provides a diagram of a display screen on which multiple trading instruments are displayed.

FIG. 7 provides a functional block diagram of the operation of one embodiment of the electronic trading system according to the present invention including an auto-arbitrage feature.

FIG. 8 provides a diagram of a trading entity auto-arbitrage parameter entry screen used in the system according to an embodiment of the present invention.

FIG. 9 provides a diagram of an alert message generated and displayed by one embodiment of the system according to the present invention.

FIG. 10 provides a functional block diagram of the operation of another embodiment of the electronic trading system according to the present invention including an auto-arbitrage feature.

FIGS. 11A and 11B provide functional block diagrams of the arbitrage detection operation of the system according to one embodiment of the present invention.

FIG. 12 provides a functional block diagram of another embodiment of the electronic trading system according to the present invention including a name switch feature.

FIG. 13 provides a diagram of a name switch parameter entry screen used in the system according to an embodiment of the present invention.

FIGS. 14A-14D provide an illustration of sample credit parameter and name switch parameter entry screens for trading entities S1-S4 respectively.

FIGS. 15-18 provide diagrams of four sample transactions used to illustrate the operation of the name switch feature of the electronic trading system of an embodiment of the present invention.

[0014] With reference to FIG. 1, an electronic trading system according to an embodiment of the present invention includes a computer 101 and four trader terminals S1, S2, S3, and S4. The trader terminals S1, S2, S3, and S4 are connected to computer 101 through a two-way communications network 102 which enables the transfer of information between the computer 101 and the four trader terminals S1-S4. The electronic trading system according to an embodiment of the present invention is envisioned to include numerous trading terminals and possibly intermediate nodes located between the trader terminals S1-S4 and computer 101 in the communication network. Therefore, the electronic trading system according to the present invention is not limited to the configuration shown in FIG. 1.

[0015] For purposes of the present description, the terms "trading entity," "trading party," "party," or "counterparty" refer to credit entities. For example, one trading entity or trading party (a credit entity) may, in fact, comprise a number of different branches, for example, a single bank having numerous branches located in different cities and/or countries. However, the credit limit entered into the system may be a group credit limit (a total credit limit extended to a group of financial institutions). A credit entity may also extend individual credit limits to each branch of a financial institution and a global limit which limits the total amount of credit that may be extended to the financial institution, even though the individual limits are not all met or exceeded. The credit matrix in the electronic trading system may be modified to accommodate the necessary credit structures. The communications network may be either a hardwired or wireless system.

[0016] A sample credit matrix for the four trading entities S1, S2, S3, and S4 is shown in FIG. 2. Entries in the credit matrix are entered by each trading entity prior to the commencement of or during trading. Each trading entity enters only its respective credit limits for each other trading entity, and credit limits entered into the other rows of the matrix by other trading entities are not accessible.

[0017] For example, with reference to FIG. 2, S1 has credit to trade with S3 and S4 but not S2. S2 may also trade with S3 and S4, but is unwilling to trade with S1 (i.e., has not extended credit to S1). Trading entities S3 and S4 may trade with all parties. The credit matrix used in the system may store monetary amounts of remaining credit (as shown in FIG. 2), ranking information such as alphabetic ranking indicating the extent to which one party wishes to deal with another party, yes/no values or any other type of appropriate filter information.

[0018] FIG. 3 provides a diagram of the "book" of all bids and offers that are available within the system including the highest available bid and the lowest available offer. This book is stored by computer 101 and optionally by the remote terminals S1-S4. As shown in FIG. 3, S1 has entered a bid to buy 3 million at a price of 1.00. S3 has entered a bid to buy 7 million at a price of 0.90. S2 has entered an offer to sell 5 million at a price of 1.00. S4 has entered an offer to sell 2 million at a price of 1.10.

[0019] FIGS. 4-6A provide schematic diagrams of the display screens of trading entities S1, S2, S3, and S4 respectively in an embodiment of the present invention that includes a credit filtering feature which filters bids and offers for bilateral credit availability between potential counterparties prior to displaying available bids and offers including the best available bid and offer. An asterisk ("\*") next to a displayed bid or offer indicates that the bid or offer is the trading entity's own bid or offer and is therefore not available as a best bid or offer. In a different embodiment of the present invention (not shown), if a credit filtering system is not used to screen the trading entity's display screens, each trading entity's (S1's and S2's) display will be the same as S3's and S4's display shown in FIG. 6A.

[0020] FIG. 6B shows an example of a practical implementation of the display screen of FIG. 6A wherein a number of trading instruments are simultaneously displayed.

[0021] With reference to FIG. 4, S1's display of bids and offers shows S3's bid and S4's offer because there is sufficient credit between S1 and S3 and S1 and S4 according to the credit matrix shown in FIG. 2. The display according to one embodiment of the present invention also shows S1's own bid. However, in alternate embodiment of the system according to the present invention, S1's own bid may be displayed in a separate window of the display screen or not displayed at all.

[0022] In the pictured embodiment of FIG. 4, in which the display is pre-filtered for bilateral credit availability, S1's display does not show S2's offer because S1 and S2 have not extended one another sufficient credit to trade according to the credit matrix of FIG. 2. S1's display would remain the same even if S 1 was willing

to extend credit to S2 but S2 was not willing to extend credit to S1. In the credit matrix of FIG. 2, however, neither S1 nor S2 has chosen to extend credit to the other. Thus, the best bid and/or offer available to the trading entities based on the stored credit matrix are respectively displayed to the trading entities.

[0023] With reference to FIG. 5, S2's display includes S3's bid and S4's offer because there is sufficient credit between S2 and S3 and between S2 and S4 according to the credit matrix shown in FIG. 2. S2's display may also display S2's own offer. In alternate embodiments, S2's offer may be displayed in a separate window of the display screen or not displayed at all. S2's display does not show S1's bid because there is not sufficient credit between S1 and S2 to permit a transaction between S1 and S2 according to the credit matrix of FIG. 2. Again, the best available bid and/or offer are displayed.

[0024] With reference to FIG. 6A, the display screen of trading entities S3 and S4 shows all bids and offers available in the market because S3 and S4 have sufficient credit with all counterparties. This display screen may also be seen by S1 and S2 if no pre-filtering feature is available in the system, or if S1 and S2 may select an unfiltered display mode. As discussed above with reference to FIGS. 4 and 5, S3 and S4 may see their own offers/bids, these offers/bids may be displayed in a separate window of the display screen, or these offers/bids may not be displayed at all. Again, the best bid and/or offer are displayed.

[0025] The display screen shown in FIG. 6A illustrates that S3 and S4, by virtue of having a better credit position than S1 or S2, have access to transactions not available to S1 and S2 due to their worse credit position. For example, S3 or S4 may buy 3 million from S2 at a price of 1.00 and sell the 3 million to S1 for 1.00. These transactions are not available to S1 and S2. Instead, they may only be performed through S3 or S4 (trading entities with sufficient credit from S1 and S2). Therefore, a transaction opportunity for S3 or S4 is created due to credit discrepancies in the market.

[0026] In the transaction described above, wherein, for example, S3 buys from S2 and sells to S1, there is no profit to be made by S3 because the offer and bid prices are the same. While there is no financial incentive for S3 to facilitate the trade between S1 and S2, S3's decision to do so provides S3 with information as to the flow of trading instruments within the market. S3 knows that S2 has sold 3 million and that S1 has bought 3 million. Therefore, in some situations, e.g., when a trading entity needs information as to who is buying and selling a certain instrument, there may be a non-financial incentive for S3 to perform the two trades at the same price. However, in the more common situation, there is a clear financial incentive to S3 to perform the two trades if S3 can buy from S2 at a relatively low price and sell to S1 at a relatively high price, thereby making an immediate profit.

[0027] The operation of the electronic trading system according to an embodiment of the present invention will now be described in detail with reference to FIGS. 7-10.

[0028] As illustrated in the functional block diagram of FIG. 7, a first embodiment of the electronic trading system according to the present invention performs the following steps:

701: The trading entities on the system, e.g., trading entities on trader terminals S1-S4 shown in FIG. 1, each enter credit parameters for transactions with the other trading entities on the system.

702: Next, the computer 101 stores the credit parameters (e.g., numerical limits, rankings, etc.) entered by the trading entities as a credit matrix (for example, the credit matrix shown in FIG. 2).

703: Trading entities enter bids and offers into the system using their respective remote terminals.

704: The computer 101 collects bids and offers entered into the system by the trading entities.

705: Once the computer 101 has collected the credit parameters, bids, and offers from the trading entities, the computer then distributes the bid and offer information as well as the credit matrix to each trading entity's terminal or to an intermediate node. With respect to the distribution function of the computer 101, the credit matrix may be distributed to the trader terminals S1-S4 or intermediate node initially, prior to entry of any bids or offers into the system, or distributed at the same time as offer and bid information is distributed.

706: Then, the trader terminals or intermediate node uses the credit matrix to filter the bids and offers, thereby determining which bids and offers are available to the respective trading entity based on bilateral credit availability. The available offers and bids are displayed to the trading entities S1-S4 as shown in FIGS. 4-6.

707: Prior to the commencement of or during trading activities on the system each trading entity has the option of entering auto-arbitrage parameters including minimum spread information, minimum size information, and whether to automatically execute the arbitrage transactions or first alert the user of the arbitrage opportunity. One screen which may be used to enter auto-arbitrage options is illustrated in FIG. 8 (see additional discussion below

with reference to FIG. 8).

708: Based on the trading entity's auto-arbitrage parameters, if the trader terminal determines that an arbitrage opportunity is available based on the trading entity's specified auto-arbitrage parameters, the trader terminal either automatically sends an "execute" command to computer 101 or automatically generates an alert message for the trading entity, such as the alert message shown in FIG. 9. If an alert is generated and the trading entity decides to pursue the arbitrage transaction, the trader terminal then sends an "execute" command to computer 101 in response to the trading entity's input.

709: Once computer 101 has received the "execute" command from the trader terminal, it automatically initiates a locking procedure whereby it attempts to lock all of the trades necessary to complete the arbitrage transaction. When the transactions are locked, the system will not accept any inputs that affect the status or terms of the locked offers and bids, thereby preventing a situation in which some of the trades are executed before others and then the later trades are no longer available when the system tries to execute them. For example, trading entity S3 could be stuck with 3 million instruments (e.g., U.S. dollars) which S3 cannot sell for the same or a better price because S1's bid has been taken by another trading entity, altered by S1, or expired while the system is executing the trade between S2 and S3. Thus, the locking feature is essential to the electronic trading system according to the present invention to insure that the middle trading entity (e.g., trading entity S3 in the above example) does not expose itself to any risk during the arbitrage transaction.

710: If computer 101 is able to lock all trades necessary to complete the arbitrage transaction, the computer automatically executes the trades.

711: However, if computer is not able to lock all necessary trades, none of the trades are executed.

712: In either instance, the trading entity is notified that an arbitrage transaction has or has not occurred and provided with any information about the completed arbitrage transaction if any. For example, trading entity S1 may be informed that its bid has been accepted by trading entity S3. Similarly, trading entity S2 may be notified only that its offer has been taken by trading entity S3. Trading entity S3 will be notified of the completion of its arbitrage transaction.

[0029] FIG. 8 provides an illustration of one possible configuration of an auto-arbitrage parameter entry screen. The screen includes a minimum spread entry for a plurality of instruments X, Y, and Z; a minimum size designation for instruments X, Y, and Z; "automatic execute" and "alert" options for each instrument, and an "ok" button to indicate when the trading entity has satisfactorily entered all auto-arbitrage parameters. The minimum spread determines the price differential needed before an auto-arbitrage opportunity will be recognized by the trader terminal (or the computer 101 as discussed below with reference to FIG. 10). For example, if "0" is entered, the trader terminal will identify an arbitrage opportunity whenever the trading entity can buy and sell the minimum quantity for the same price. If ".10" is entered, the trader terminal will identify an arbitrage opportunity whenever the trading entity can sell for a price .10 or more higher than the price at which the trading entity can buy. The minimum size determines the quantity required before an arbitrage opportunity is identified.

[0030] The "automatic execute" and "alert" options enable the trading entity to select whether the system will automatically execute an arbitrage transaction in response to a command to computer 101 from a remote terminal when an arbitrage opportunity is identified, or instead generate an alert message which is displayed to the trading entity (see FIG. 9) whereby the trading entity is provided with discretion as to whether or not to proceed with the arbitrage transaction.

[0031] With reference to FIG. 10, the operation of a second embodiment of the electronic trading system according to the present invention includes the following steps:

1001: The trading entities enter credit and auto-arbitrage parameters (as described above with reference to FIG. 7) into their trader terminals. The trader terminals then transmit this parameter information to computer 101.

1002: The computer 101 stores the credit and arbitrage parameter information.

1003: The trading entities enter bids and offers into the system which are uploaded to and stored by computer 101.

1004: The computer then distributes the offers and bids to the trader terminals where the offers and bids are

displayed. In this embodiment, there is no pre-filtering function which determines which bids and offers may be displayed to a trading entity based on credit availability. However, this feature may be added without changing the operation of this embodiment of the electronic trading system according to the present invention.

1005: Based on the stored credit and auto-arbitrage parameter information, if computer 101 detects an arbitrage opportunity, computer 101 automatically initiates the locking procedure whereby all trades necessary to complete the arbitrage transaction are locked to avoid any risk to the trading entity taking advantage of the arbitrage opportunity.

1006: If the computer 101 is able to lock all necessary trades, it executes the trades, thereby completing the arbitration transaction.

1007: The computer 101 then notifies the trading entity as to the results of the arbitration transaction.

1008: In the event that the computer 101 cannot lock all trades necessary to complete the arbitrage transaction, the computer will not execute any of the trades. Notification to the trading entity in this case may be provided but is not necessary if the trading entity's position has not been affected.

[0032] In the embodiment of the present invention shown in FIG. 10, the computer may also generate an alert message to the trading entity to enable the trading entity to decide whether to pursue the arbitrage option. However, if the trader terminal itself generates the alert message, the trader terminal is provided with logic by which it may determine which trades are actually available to the trading entity based on the trading entity's credit and auto-arbitrage parameters (as discussed above with reference to FIG. 7).

[0033] The electronic trading system is capable of automatically identifying arbitrage opportunities that involve a chain of multiple trades and multiple intermediaries, for example, a process by which S4 sells to S2, S2 sells to S3, and S3 sells to S1. In this sequence of trades, both S2 and S3 may profit, or one or both parties may agree to facilitate the trades to gain access to market flow information or for other non-financial purposes.

[0034] In the electronic trading system the system performs multiple trades simultaneously to avoid creating any risk to the trading entity conducting the arbitrage transaction. The multiple transactions must be treated as contingent transactions, wherein one transaction cannot take place unless the others are also available. For example, a computer which stores all offers and bids available in the system is useful to ensure that one transaction does not take place unless others also take place. As a result, it is difficult to incorporate the auto-arbitrage feature into a distributed trading system which does not have a repository of trade information as does the system shown in FIG. 1 because the coordination of locking of multiple transactions in a distributed system (one without a computer) is significantly more complex.

[0035] With reference to FIGS. 11A and 11B, the arbitrage opportunity identification process will now be described in greater detail. This process, which may be automatically performed by computer 101 or trader terminals S1-S4, includes the following steps:

1101: Based on stored credit parameter information, the computer 101 or trader terminal (e.g., any of S1-S4) identifies the best bid price available to a trading entity.

1102: Similarly, using the stored credit parameter information, the computer 101 or trader terminal identifies the best offer price available to that trading entity.

1103: Using the auto-arbitrage "minimum spread" parameter entered by the trading entity (see FIG. 8), the computer 101 or trader terminal compares the minimum spread value with the spread between the identified offer and bid prices.

1104: If the spread between the best offer and bid prices is greater than or equal to the minimum spread value entered by the trading entity, the computer 101 or trader terminal then compares the "minimum amount" value entered by the trading entity with the total amount of all identified arbitrage transactions. If only the best bid and offer have been identified, the total amount is the lesser of the available amounts of the best bid and offer. For example, if the bid is for 3 million but the offer is only for 2 million, the computer 101 or trader terminal will compare the minimum amount value with 2 million (the amount that can be bought and sold). If the best bid and offer and the next-best bid and offer have been identified (as described below in step 1107), the total amount is determined by adding the available amount of each transaction. The computer 101 will determine the

optimum amount available by automatically identifying the best possible combination(s) of arbitrage transactions available to the trading entity.

1105: If the total amount that can be traded is greater than or equal to the minimum amount parameter, the computer 101 initiates the locking procedure described above with reference to FIGS. 7 and 10 whereby both transactions are locked to prevent risk to the trading entity. If the trader terminal identifies the arbitrage opportunity, the trader terminal either (1) automatically sends an "execute" command to computer 101 or (2) generates an alert signal which is displayed to the trading entity (see FIG. 9).

1106: If the spread available is less than the minimum spread value entered by the trading entity, no arbitrage opportunity exists.

1107: If the amount available is less than the minimum amount value entered by the trading entity, the computer 101 identifies the next best transaction available to the trading entity and performs the minimum spread and minimum amount analysis again to try to build up the total amount of the transaction to satisfy the minimum amount parameter.

An alternative operation of the system according to an embodiment of the present invention is illustrated in FIG 11B. The operation illustrated in FIG 11B is similar to that described in FIG 11A, but includes several additional steps. As shown in FIG. 11B, when the minimum amount requirement of step 1104 is satisfied, the computer 101 then compares the total amount of the arbitrage transaction with the maximum amount parameter entered by the trading entity (step 1110).

1111: If the total size is less than the maximum amount, the computer 101 identifies the next-best transaction available to the trading entity and evaluates this transaction to attempt to build up the amount of the transaction to the maximum amount parameter. If the trading entity has not entered a maximum amount parameter, the computer 101 automatically continues to add the next-best transactions until no further transactions are available based on the other arbitrage parameters and then executes the transactions.

1112: If the total amount that can be traded is greater than or equal to the maximum amount parameter, the computer 101 initiates the locking procedure described above with reference to FIGS. 7 and 10 whereby all transactions up to the maximum amount are locked to prevent risk to the trading entity.

1113: If an "average spread OK" option is selected by the trading entity (see FIG. 8), the computer 101 may continue to identify bids and offers which can be traded but have a spread less than the minimum spread set by the trading entity provided that the weighted average of the identified bids and offers having a minimum or greater spread and the identified bids and offers having a below-minimum spread remains equal to or greater than the minimum spread set by the trading entity.

[0036] Once the arbitrage transaction has been completed, acknowledgment signals may be generated by the computer 101 and sent to the appropriate trader terminals. The generation of these acknowledgment signals may be accomplished, for example, using the acknowledgement generation system described in EP-A-491455.

[0037] With reference to FIG. 12, the operation of another embodiment of the electronic trading system having a name switch feature according to the present invention includes the following steps:

1201: The trading entities enter credit and name switch parameters into their trader terminals (e.g., any of S1-S4), e.g., via a screen such as that shown in FIG. 13. The trader terminals then transmit the parameters to the computer 101.

1202: The parameters are stored in computer 101 and optionally stored in trader terminals, e.g., S1-S4.

1203: Bids and offers entered by trading entities on the system are stored in computer 101.

1204: The computer 101 identifies a potential transaction.

1205: The computer checks the amount of available credit between the parties to the transaction.

1206: If there is insufficient credit available between the parties, the computer 101 searches for name switch



possibilities based on name switch parameters entered by the traders into the system. For example, the computer may search for those parties that indicate "yes" in the "name switch" column of the entry screen shown in FIG. 13.

1207: If only one name switch option is identified by the computer 101, the computer then checks other name switch parameters entered by the trader, for example, minimum spread, minimum size, maximum size and remaining credit parameters as shown in FIG. 13. These criteria must be satisfied for both parties to the transaction. For example, with reference to the name switch parameters shown in FIG. 13, to determine whether there is a sufficient minimum spread for a party to facilitate a transaction between parties S2 and S4, the computer may either select the larger of the two minimum spread values (i.e., ".02", the value entered for trader S4) or combine the two spreads (i.e., ".03") and use the combined value to determine whether a name switch can occur.

An example of the name switch option determination will now be provided. It is assumed that a transaction is desired between trading entities S2 and S4. However, there is insufficient bilateral credit between S2 and S4 to enable execution of the transaction. Therefore, computer 101 searches for a trading entity such as S3 which has entered a "yes" in its name switch category for both S2 and S4 (see FIG. 13). The computer 101 then compares the bid-offer spread of the transaction between S2 and S4 with the maximum of the minimum spread set by S3 for trading entities S2 and S4. As shown in FIG. 13, S3 has entered a 0.01 minimum spread for S2 and a 0.02 minimum spread for S4. Therefore, the computer 101 selects the maximum of these spreads, or 0.02. The computer 101 then determines the allowable amount of the trade based upon the minimum and maximum values set by S3 for S2 and S4 respectively, such that the amount of the trade must be greater than the two minimums and subject to a cap equal to the lower of the two maximums. If all criteria are satisfied, the computer 101 executes a name switch enabling the transaction to be completed between S2 and S4 via S3.

1208: If multiple name switch options are identified by the computer 101, the computer evaluates the other name switch parameters of each name switching possibility (e.g., minimum spread, minimum and maximum size, and credit remaining parameters for each trading party) to identify a subset of available name switch candidates as described above in step 1207.

1209: The computer then selects a name switching entity from this subset using a selection process. For example, the selection process may be random, sequential, equal allocation, or any other appropriate selection process. Using a random selection process, the computer 101 selects from among the identified subset at random. Using a sequential selection process, the computer 101 selects the next available name switching party and rotates sequentially through the possible name switching parties. In an equal allocation selection process, the computer 101 determines the volume of name switching transactions that each name switching party has executed and attempts to equally allocate the name switching transactions between the available parties.

1210 - 1212: Once a name switch party is selected, the name switch is performed, the transaction is automatically executed as described above, and the parties are notified accordingly.

1220: If no parties are available based on the name switching parameters, no transaction is executed.

[0038] A sample screen by which trading entities may enter credit and name switch parameters into the system is shown in FIG. 13. Using this screen, trading entities may enter credit limits for each potential counterparty, whether the trading entity is willing to name switch with that counterparty, and other name switch parameters for each counterparty.

[0039] The operation of the name switch feature of the system according to an embodiment of the present invention will now be described in detail with reference to FIGS. 14-18.

[0040] For a name switch to occur, there must be sufficient bilateral credit available both between the less credit-worthy trading entity and the more credit-worthy trading entity and between the more credit-worthy trading entity and the party with whom the less credit-worthy trading entity desires to trade. For example, with reference to FIGS. 14A-D, assume trading entity S1 enters the credit and name switch parameters shown in FIG. 14A. Similarly, trading entities S2, S3 and S4 respectively enter credit and name switch parameters shown in FIGS. 14B-D. Based on the parameters entered by trading entities S1-S4, the following sample transactions are desired by trading entity S1:

[0041] FIG 15: A match is tentatively possible between trading entity S1 and trading entity S2 for an amount of \$5M.

[0042] In this example, trading entity S2 has no credit remaining with trading entity S1. Therefore trading entity S1 cannot trade directly with trading entity S2. However, trading entity S2 has extended sufficient credit to trading entity S3. Also, trading entity S3 has agreed to name switch for trading entity S1, and trading entity S3

has extended sufficient credit to trading entity S1 and trading entity S2 to cover the transaction. Finally, trading entity S1 has extended sufficient credit to trading entity S3 to cover the transaction. Since there is sufficient bilateral credit between S1 and S3 and between S3 and S2, the name switch may take place (providing that the minimum spread and other parameters are satisfied as described above with reference to FIG. 12).

[0043] FIG. 16: A match is possible between trading entity S1 and trading entity S2 for an amount of \$10M.

[0044] Trading entity S1 cannot trade directly with trading entity S2 because trading entity S2 has not extended sufficient credit to trading entity S1. However, in this situation, trading entity S1 cannot name switch with trading entity S3 because trading entity S3 has not extended sufficient credit to trading entity S2 to cover the transaction.

[0045] FIG. 17: A match is possible between trading entity S1 and trading entity S4 for an amount of \$10M.

[0046] Trading entity S1 cannot trade directly with trading entity S4 because trading entity S4 has not extended sufficient credit to trading entity S1. Also, trading entity S1 cannot name switch with trading entity S3 because trading entity S3 also does not have sufficient credit with trading entity S4.

[0047] FIG. 18: A match is possible between trading entity S1 and trading entity S4 for an amount of \$10M.

[0048] Trading entity S1 cannot trade directly with trading entity S4 as discussed above with reference to FIG. 17. Further, trading entity S1 cannot name switch with trading entity S2 because trading entity S2 has not extended sufficient credit to trading entity S1 to cover the trade.

[0049] While the electronic trading system is capable of performing the name switch function based on a determination of bilateral credit availability, the system may also perform the name switch function based on unilateral credit availability as is appropriate for certain types of transactions.

[0050] The automatic name switch feature of the electronic trading system is also dependent of any credit pre-filtering display function of the computer 101 or trader terminals (e.g., S1-S4).

[0051] The automatic name switch feature may be based on pre-existing commercial relationships between trading parties rather than on a direct profit basis as the result of a price spread like the auto-arbitrage feature, or on a combination of the two incentives. One example of such a commercial relationship is an arrangement by which the more credit-worthy party charges the less credit-worthy party a fixed amount for each name switch transaction. The less credit-worthy party may agree to pay this to increase its available options in the market. Therefore, the name switch feature of the electronic trading system is based on user election (the user elects to credit lines switch), not system selection as is used for clearing houses in which credit risk is mutualized. An optional feature of the system according to an embodiment of the present invention including auto-arbitrage and name switch features is a trade ticket output feed located at the trader terminals S1-S4 and/or the computer 101. One possible trade ticket output feed is described in U.S. Patent No. 5,003,473.

[0052] In summary, the auto-arbitrage and name switch features of the electronic trading system employ similar network principles but address different market concerns. The auto-arbitrage feature enables trading entities to avail themselves of low-risk trading opportunities. The automatic name switch feature enables trading entities to benefit from commercial relationships with other better-known or better-ranked (credit-wise) trading entities. Both features benefit the system by increasing liquidity without the addition of new bids and offers by performing trades that otherwise would not be possible in the known systems due to credit limitations.

## Claims

1. An electronic trading system for traders, the system comprising:

a plurality of trader terminals (S1, S2, S3,...) for receiving credit parameter data for use in determining whether to permit or deny a trade and for receiving and displaying trading data, said trading data including bid and/or offer information; and

a computer (101) connected to said plurality of trader terminals via a communications network (102) and for matching or denying trades using said credit parameter data;

characterised

in that said trader terminals (S1, S2, S3,...) are arranged to receive arbitrage parameter data from the traders comprising at least one of a minimum spread parameter, an average spread parameter, a minimum size parameter, and a maximum size parameter;

by detection means for detecting potential related trades between a first trader terminal and a second trader terminal and between the first trader terminal and a third trader terminal based on monitoring said

trading data, said credit parameter data, and said arbitrage parameter data;

by an execution means for executing the detected related trades; and

in that said execution means includes a locking means for locking trading data for all said related trades prior to execution of any of said related trades to ensure that said all related trades remain available during the execution of said related trades, wherein said execution means is adapted not to perform any trades of said related trades unless the trading data for all said related trades is locked.

2. An electronic trading system according to claim 1, wherein said execution means is adapted to automatically execute the detected related trades, the system further comprising notification means for notifying the first trader terminal that related trades have been detected and executed and for providing the results of the execution of said related trades to the first trader terminal.
3. An electronic trading system according to claim 1, further comprising alert generation means for generating an alert at the first trader terminal that related trades have been detected by said detection means, said first trader terminal including means to receive an input indication from a trader indicating whether or not to execute said detected related trades and said execution means being responsive to the input indication to execute said related trades.
4. An electronic trading system according to any one of claims 1 to 3, wherein said credit parameter data includes data representative of a credit limit for each trading counterparty to which said traders belong, from each other such counterparty.
5. An electronic trading system according to any one of the preceding claims, wherein said detection means is adapted to detect related trades based on each of said minimum spread parameter, said average spread parameter, said minimum size parameter, and said maximum size parameter.
6. An electronic trading system according to any one of the preceding claims, wherein said detection means is adapted to detect related trades which enable an original trade represented by trading data requested by said second trader terminal and said third trader terminal; and credit parameter data relating to said first trader terminal is sufficient in respect of the second and third trader terminals to complete said original trade; but a direct trade between the second trader terminal and said third trader terminal would be denied.
7. An electronic trading system to according to any one of the preceding claims, wherein said detection means is adapted to detect related trades which enable an original trade requested by said second trader terminal and said third trader terminal by allowing said second trader terminal to trade with said third trader terminal based upon the credit parameter data relating to the first trader terminal; the credit parameter data relates to the first trader terminal with the second trader terminal and with the third trader terminal being sufficient to complete said original trade; but a direct trade between the second trader terminal and the third trader terminal would be denied.
8. A method of electronic trading using a computer (101) and a plurality of trader terminals (S1, S2, S3,...), the method comprising:
  - receiving credit parameter data and trading data from the trader terminals and displaying trade information on said trader terminals, said trading data including bid and/or offer information input at the trader terminals;
  - transmitting the credit parameter data and said trading data from said plurality of terminals to said computer (101);
  - storing said credit parameter data and said trading data;
  - characterised by:
    - receiving arbitrage parameter data at each of the trader terminals, the arbitrage parameter data comprising at least one of a minimum spread parameter, an average spread parameter, a minimum size parameter, and a

maximum size parameter;

locking trading data for all said related trades;

detecting potential related trades between a first trader terminal and a second trader terminal and between the first trader and a third trader terminal based on monitoring said trading data, said credit parameter data, and said arbitrage parameter data; and

executing said detected related trades only for said related trades which have locked trading data.

9. A method according to claim 8, further comprising:  
notifying the first trader terminal that related trades have been detected and executed, and providing the results of the execution of said related trades.

10. A method according to claim 8, further comprising:  
generating an alert at the first trader terminal that related trades have been detected by said detector, receiving an input indication from a trader indicating whether to pursue or not pursue said detected related trades, and executing said detected related trades in dependence upon the input indication.

11. A method according to any one of claims 8 to 10, wherein said credit parameter data includes a credit limit for each potential trading counterparty to which said traders belong, from each other such counterparty.

12. A method according to any one of claims 8 to 11, wherein the determination of related trades is based on each of said minimum spread parameter, said average spread parameter, said minimum size parameter and said maximum size parameter.

13. A computer (101) for use in an electronic trading system, the computer comprising:

network connection means for connection to a plurality of trader terminals (S1, S2, S3...) via a communications network (102) for receiving credit parameter data and trading data from said trader terminals (S1, S2, S3,...), said trading data including bid and/or offer information; and

means for matching or denying trades using credit parameter data;

characterised

in that said network connection means is arranged to receive from said trader terminals arbitrage parameter data comprising at least one of a minimum spread parameter, an average speed parameter, a minimum size parameter, and a maximum size parameter;

by detection means for detecting potential related trades between a first trader terminal and a second trader terminal and between the first trader terminal and a third trader terminal based on monitoring said trading data, said credit parameter data, and said arbitrage parameter data;

by execution means for detected related trades; and

in that said execution means includes a locking means for locking trading data for all said related trades prior to execution of any of said related trades to ensure that said all related trades remain available during the execution of said related trades, wherein said execution means is adapted not to perform any trades of said related trades unless the trading data for all said related trades is locked.

14. A computer according to claim 14 wherein said execution means is adapted to automatically execute the detected related trades, the computer further comprising notification means for notifying the first trader terminal that related trades have been detected and executed, and for providing the results of the execution of said related trades to the first trader terminal.

15. A computer according to claim 13 further comprising alert generation means for generating an alert notification for transmission to said trader terminals notifying that related trades have been detected by said detection means, and means for receiving an input indication from a trader indicating whether or not to execute said detected related trades, wherein said execution means is responsive to the received input indication to perform the execution of said related trade in dependence upon the received input indication.
- 5 16. A computer according to any one of claims 13 to 15 wherein said credit parameter data includes data representative of a credit limit for each trading counterparty to which said traders belong, from each other such counterparty.
- 10 17. A computer according to any one of claims 13 to 16 wherein said detection means is adapted to detect related trades based on each of said minimum spread parameter, said average spread parameter, said minimum size parameter, and said maximum size parameter.
- 15 18. A computer according to any one of claims 13 to 17 wherein said detection means is adapted to detect related trades which enable an original trade represented by trading data requested by said second trader terminal and said third trader terminal; and credit parameter data relating to said first trader terminal is sufficient in respect of the second and third trader terminals to complete said original trade; but a direct trade between the second trader terminal and said third trader terminal would be denied.
- 20 19. A computer according to any one of claims 13 to 18 wherein said detection means is adapted to detect related trades which enable an original trade requested by said second trader terminal and said third trader terminal by allowing said second trader terminal to trade with said third trader terminal based upon the credit parameter data relating to the first trader terminal; the credit parameter data relates to the first trader terminal with the second trader terminal and with the third trader terminal being sufficient to complete said original trade; but a direct trade between the second trader terminal and the third trader terminal would be denied.
- 25 20. A method of operating a computer (101) in an electronic trading system, the method comprising:  
  
receiving credit parameter data and trading data from a plurality of trader terminals, said trading data including bid and/or offer information; and  
  
30 matching or denying trades using said credit parameter data;  
  
characterised by  
  
35 receiving from said trader terminals arbitrage parameter data comprising at least one of a minimum spread parameter, an average spread parameter, a minimum size parameter, and a maximum size parameter;  
  
detecting potential related trades between a first trader terminal and a second trader terminal and between the first trader terminal and a third trader terminal based on monitoring said trading data, said credit  
40 parameter data, and said arbitrage parameter data;  
  
locking trading data for detected related trades; and  
  
45 executing the detected related trades only for detected related trades which have locked trading data.
- 50 21. A method according to claim 20 wherein the detected related trades are executed automatically; a notification is transmitted to the first terminal to notify that the related trades have been detected and executed; and the results of the execution of the related trades are provided to the first trader terminal.
- 55 22. A method according to claim 20 wherein an alert notification is generated and transmitted to the first trader terminal notifying that related trades have been detected; receiving an input indication from the first trader terminal indicating whether or not to execute said detected related trades; and executing the detected related trades in dependence upon the input indication.
23. A method according to any one of claims 20 to 22 wherein said credit parameter data includes data

representative of a credit limit for each trading counterparty to which said traders belong, from each other such counterparty.

24. A method according to any one of claims 20 to 23 wherein the determination of related trades is based on each of said minimum spread parameter, said average spread parameter, said minimum size parameter and said maximum size parameter.

#### Patentansprüche

1. Elektronisches Handelssystem für Händler, umfassend:

mehrere Händlerterminals (S1, S2, S3, ...) zum Empfang von Kredit-Parameterdaten, um zu bestimmen, ob ein Handelsgeschäft zugelassen oder abgelehnt werden soll, und um Handelsdaten zu empfangen und wiederzugeben, wobei die Handelsdaten Angebot- und/oder Gegengebot-Informationen enthalten; und

einen an die mehreren Händlerterminals über ein Kommunikationsnetz (102) angeschlossenen Computer (101) zum Abschließen oder Ablehnen von Handelsgeschäften mittels der Kredit-Parameterdaten;

dadurch gekennzeichnet, daß

die Händlerterminals (S1, S2, S3, ...) zum Empfang von Arbitrage-Parameterdaten von den Händlern ausgelegt sind, die wenigstens einen Minimumspread-Parameter und/oder einen Durchschnittspread-Parameter und/oder einen Minimumgröße-Parameter und/oder einen Maximumgröße-Parameter enthalten;

eine Erfassungseinrichtung vorgesehen ist, die zum Erfassen von potentiellen in Beziehung stehenden Handelsgeschäften zwischen einem ersten Händlerterminal und einem zweiten Händlerterminal, sowie zwischen dem ersten Händlerterminal und einem dritten Händlerterminal auf Grundlage einer Überwachung der Handelsdaten, der Kredit-Parameterdaten und der Arbitrage-Parameterdaten;

eine Ausführereinrichtung zum Ausführen der erfaßten in Beziehung stehenden Handelsgeschäfte vorgesehen ist; und

die Ausführereinrichtung eine Sperreinrichtung zum Sperren der Handelsdaten für all diese in Beziehung stehenden Handelsgeschäfte vor dem Ausführen eines einzigen davon einschließt, um sicherzustellen, daß all die in Beziehung stehenden Handelsgeschäfte während ihrer Ausführung verfügbar bleiben, wobei die Ausführereinrichtung dazu ausgelegt ist, kein einziges dieser in Beziehung stehenden Handelsgeschäfte auszuführen, solange nicht die Handelsdaten für all diese in Beziehung stehenden Handelsgeschäfte gesperrt sind.

2. Elektronisches Handelssystem nach Anspruch 1, wobei die Ausführereinrichtung zum automatischen Ausführen der erfaßten in Beziehung stehenden Handelsgeschäfte ausgelegt ist, und das System außerdem eine Meldeeinrichtung aufweist, die dem ersten Händlerterminal meldet, daß in Beziehung stehende Handelsgeschäfte erfaßt und ausgeführt wurden, und die Ergebnisse der Ausführung dieser in Beziehung stehenden Handelsgeschäfte an das erste Händlerterminal übergibt.

3. Elektronisches Handelssystem nach Anspruch 1, weiterhin umfassend eine Einrichtung zum Erzeugen einer Warnung am ersten Händlerterminal, daß in Beziehung stehende Handelsgeschäfte von der Erfassungseinrichtung erfaßt wurden, wobei das erste Händlerterminal eine Einrichtung zum Empfang einer Eingabeanzeige von einem Händler aufweist, die anzeigt, ob die erfaßten in Beziehung stehenden Handelsgeschäfte ausgeführt werden sollen oder nicht, und wobei die Ausführereinrichtung in Abhängigkeit von der Eingabeanzeige die in Beziehung stehenden Handelsgeschäfte ausführt.

4. Elektronisches Handelssystem nach einem der Ansprüche 1 bis 3, wobei die Kredit-Parameterdaten Daten bezüglich eines Kreditlimits für jede Handels-Gegenpartei, zu der die Händler gehören, von jeder anderen derartigen Gegenpartei enthalten.

5. Elektronisches Handelssystem nach einem der vorstehenden Ansprüche, wobei die Erfassungseinrichtung zum Erfassen in Beziehung stehender Handelsgeschäfte auf Grundlage des Minimumspread-Parameters, des Durchschnittspread-Parameters, des Minimumgröße-Parameters und des Maximumgröße-Parameters ausgelegt ist.
- 5 6. Elektronisches Handelssystem nach einem der vorstehenden Ansprüche, wobei die Erfassungseinrichtung zum Erfassen in Beziehung stehender Handelsgeschäfte ausgelegt ist, die ein ursprüngliches Handelsgeschäft, repräsentiert durch die von dem zweiten Händlerterminal und dem dritten Händlerterminal verlangten Handelsdaten, ermöglicht; und wobei die Kredit-Parameterdaten bezüglich des ersten Händlerterminals hinsichtlich des zweiten und des dritten Händlerterminals ausreichend zum Abschließen des ursprünglichen Handelsgeschäfts sind, ein direkter Handel zwischen dem zweiten Händlerterminal und dem dritten Händlerterminal jedoch abgelehnt werden würde.
- 10 7. Elektronisches Handelssystem nach einem der vorstehenden Ansprüche, wobei die Erfassungseinrichtung zum Erfassen in Beziehung stehender Handelsgeschäfte ausgelegt ist, die einen ursprünglichen, von dem zweiten Händlerterminal und dem dritten Händlerterminal verlangten Handel ermöglichen, indem dem zweiten Händlerterminal ein Handelsgeschäft mit dem dritten Händlerterminal auf Grundlage der Kredit-Parameterdaten bezüglich des ersten Händlerterminals gestattet wird; und sich die Kredit-Parameterdaten auf das erste Händlerterminal beziehen, wobei das zweite und das dritte Händlerterminal zum Abschließen des ursprünglichen Handelsgeschäfts ausreichend sind, ein direkter Handel zwischen dem zweiten Händlerterminal und dem dritten Händlerterminal jedoch abgelehnt werden würde.
- 15 8. Verfahren zum elektronischen Handel über einen Computer (101) und mehrere Händlerterminals (S1, S2, S3 ...), wobei:

25 Kredit-Parameterdaten und Handelsdaten von den Händlerterminals empfangen und Handelsinformationen auf diesen wiedergegeben werden, wobei die Handelsdaten an den Händlerterminals eingegebene Angebot- und/oder Gegengebot-Informationen enthalten;

30 die Kredit-Parameterdaten und die Handelsdaten von den mehreren Terminals zu dem Computer (101) übertragen werden;

die Kredit-Parameterdaten und die Handelsdaten gespeichert werden;

dadurch gekennzeichnet, daß:

35 Arbitrage-Parameterdaten an jedem Händlerterminal empfangen werden, die wenigstens einen Minimumspread-Parameter und/oder einen Durchschnittspread-Parameter und/oder einen Minimumgröße-Parameter und/oder einen Maximumgröße-Parameter enthalten;

40 Handelsdaten für alle in Beziehung stehenden Handelsgeschäfte gesperrt werden;

potentielle in Beziehung stehende Handelsgeschäfte zwischen einem ersten Händlerterminal und einem zweiten Händlerterminal, sowie zwischen dem ersten Händlerterminal und einem dritten Händlerterminal, auf Grundlage der Überwachung der Handelsdaten, der Kredit-Parameterdaten und der Arbitrage-Parameterdaten erfaßt werden; und

45 die erfaßten in Beziehung stehenden Handelsgeschäfte nur für jene in Beziehung stehenden Handelsgeschäfte ausgeführt werden, deren Handelsdaten gesperrt wurden.
- 50 9. Verfahren nach Anspruch 8, wobei außerdem dem ersten Händlerterminal gemeldet wird, daß in Beziehung stehende Handelsgeschäfte erfaßt und ausgeführt wurden, und die Ergebnisse der Ausführung dieser in Beziehung stehenden Handelsgeschäfte übergeben werden.
- 55 10. Verfahren nach Anspruch 8, wobei außerdem eine Warnung am ersten Händlerterminal erzeugt wird, daß in Beziehung stehende Handelsgeschäfte von der Erfassungseinrichtung erfaßt wurden; eine Eingangsanzeige von einem Händler empfangen wird, die anzeigt, ob die erfaßten in Beziehung stehenden Handelsgeschäfte

durchgeführt werden sollen oder nicht; und die erfaßten in Beziehung stehenden Handelsgeschäfte abhängig von der Eingangsanzeige ausgeführt werden.

11. Verfahren nach einem der Ansprüche 8 bis 10, wobei die Kredit-Parameterdaten ein Kreditlimit für jede potentielle Handels-Gegenpartei, zu der die Händler gehören, von jeder anderen derartigen Gegenpartei enthalten.
- 5 12. Verfahren nach einem der Ansprüche 8 bis 11, wobei das Bestimmen in Beziehung stehender Handelsgeschäfte auf Grundlage des Minimumspread-Parameters, des Durchschnittspread-Parameters, des Minimumgröße-Parameters und des Maximumgröße-Parameters erfolgt.
- 10 13. Computer (101) zur Verwendung in einem elektronischen Handelssystem, wobei der Computer umfaßt:  
  
eine Netzverbindungseinrichtung zur Verbindung mehrerer Händlerterminals (S1, S2, S3, ...) über ein Kommunikationsnetz (102) zum Empfang von Kredit-Parameterdaten und Handelsdaten von den Händlerterminals (S1, S2, S3, ...), wobei die Handelsdaten Angebot- und/oder Gegengebot-Informationen enthalten; und  
  
15 eine Einrichtung zum Abschließen oder Ablehnen von Handelsgeschäften mittels der Kredit-Parameterdaten;  
  
dadurch gekennzeichnet, daß  
  
20 die Netzverbindungseinrichtung zum Empfang von Arbitrage-Parameterdaten von den Händlerterminals ausgelegt ist, die wenigstens einen Minimumspread-Parameter und/oder einen Durchschnittspread-Parameter und/oder einen Minimumgröße-Parameter und/oder einen Maximumgröße-Parameter enthalten;  
  
eine Erfassungseinrichtung vorgesehen ist, die zum Erfassen von potentiellen in Beziehung stehenden Handelsgeschäften zwischen einem ersten Händlerterminal und einem zweiten Händlerterminal, sowie  
25 zwischen dem ersten Händlerterminal und einem dritten Händlerterminal auf Grundlage der Überwachung der Handelsdaten, der Kredit-Parameterdaten und der Arbitrage-Parameterdaten;  
  
eine Einrichtung zum Ausführen der erfaßten in Beziehung stehenden Handelsgeschäfte vorgesehen ist; und  
  
30 die Ausführereinrichtung eine Sperreinrichtung zum Sperren der Handelsdaten für all diese in Beziehung stehenden Handelsgeschäfte vor dem Ausführen eines einzigen davon einschließt, um sicherzustellen, daß all die in Beziehung stehenden Handelsgeschäfte während ihrer Ausführung verfügbar bleiben, wobei die  
35 Ausführereinrichtung dazu ausgelegt ist, keinen einzigen dieser in Beziehung stehenden Handelsgeschäfte auszuführen, solange nicht die Handelsdaten für all diese in Beziehung stehenden Handelsgeschäfte gesperrt sind.
- 40 14. Computer nach Anspruch 13, wobei die Ausführereinrichtung zum automatischen Ausführen der erfaßten in Beziehung stehenden Handelsgeschäfte ausgelegt ist, und das System außerdem eine Meldeeinrichtung aufweist, die dem ersten Händlerterminal meldet, daß in Beziehung stehende Handelsgeschäfte erfaßt und ausgeführt wurden, und die Ergebnisse der Ausführung dieser in Beziehung stehenden Handelsgeschäfte an das erste Händlerterminal übergibt.
- 45 15. Computer nach Anspruch 13, weiterhin umfassend eine Einrichtung zum Erzeugen einer Warnung zum Übertragen an die Händlerterminals, die meldet, daß in Beziehung stehende Handelsgeschäfte von der Erfassungseinrichtung erfaßt wurden; und eine Einrichtung zum Empfang einer Eingabeanzeige von einem Händler, die anzeigt, ob die erfaßten in Beziehung stehenden Handelsgeschäfte ausgeführt werden sollen oder nicht, wobei  
50 die Ausführereinrichtung in Abhängigkeit von der Eingabeanzeige die in Beziehung stehenden Handelsgeschäfte ausführt.
16. Computer nach einem der Ansprüche 13 bis 15, wobei die Kredit-Parameterdaten Daten bezüglich eines Kreditlimits für jede Handels-Gegenpartei, zu der die Händler gehören, von jeder anderen derartigen Gegenpartei  
55 enthalten.
17. Computer nach einem der Ansprüche 13 bis 16, wobei die Erfassungseinrichtung zum Erfassen in Beziehung



stehender Handelsgeschäfte auf Grundlage des Minimumspread-Parameters, des Durchschnittspread-Parameters, des Minimumgröße-Parameters und des Maximumgröße-Parameters ausgelegt ist.

18. Computer nach einem der Ansprüche 13 bis 17, wobei die Erfassungseinrichtung zum Erfassen in Beziehung stehender Handelsgeschäfte ausgelegt ist, die ein ursprüngliches Handelsgeschäft, repräsentiert durch die von dem zweiten Händlerterminal und dem dritten Händlerterminal verlangten Handelsdaten, ermöglicht; und wobei die Kredit-Parameterdaten bezüglich des ersten Händlerterminals hinsichtlich des zweiten und des dritten Händlerterminals ausreichend zum Abschließen des ursprünglichen Handelsgeschäfts sind, ein direkter Handel zwischen dem zweiten Händlerterminal und dem dritten Händlerterminal jedoch abgelehnt werden würde.
19. Computer nach einem der Ansprüche 13 bis 18, wobei die Erfassungseinrichtung zum Erfassen in Beziehung stehender Handelsgeschäfte ausgelegt ist, die einen ursprünglichen, von dem zweiten Händlerterminal und dem dritten Händlerterminal verlangten Handel ermöglichen, indem dem zweiten Händlerterminal ein Handelsgeschäft mit dem dritten Händlerterminal auf Grundlage der Kredit-Parameterdaten bezüglich des ersten Händlerterminals gestattet wird; und sich die Kredit-Parameterdaten auf das erste Händlerterminal beziehen, wobei das zweite und das dritte Händlerterminal zum Abschließen des ursprünglichen Handelsgeschäfts ausreichend sind, ein direkter Handel zwischen dem zweiten Händlerterminal und dem dritten Händlerterminal jedoch abgelehnt werden würde.
20. Verfahren zum Betrieb eines Computers (101) in einem elektronischen Handelssystem, wobei:  
  
Kredit-Parameterdaten und Handelsdaten von mehreren Händlerterminals empfangen werden, wobei die Handelsdaten an den Händlerterminals eingegebene Angebot- und/oder Gegengebot-Informationen einschließen; und  
  
Handelsgeschäfte mittels der Kredit-Parameterdaten abgeschlossen oder abgelehnt werden  
  
dadurch gekennzeichnet, daß:  
  
Arbitrage-Parameterdaten von jedem Händlerterminal empfangen werden, die wenigstens einen Minimumspread-Parameter und/oder einen Durchschnittspread-Parameter und/oder einen Minimumgröße-Parameter und/oder einen Maximumgröße-Parameter enthalten;  
  
potentielle in Beziehung stehende Handelsgeschäfte zwischen einem ersten Händlerterminal und einem zweiten Händlerterminal, sowie zwischen dem ersten Händlerterminal und einem dritten Händlerterminal, auf Grundlage der Überwachung der Handelsdaten, der Kredit-Parameterdaten und der Arbitrage-Parameterdaten erfaßt werden;  
  
Handelsdaten für erfaßte in Beziehung stehende Handelsgeschäfte gesperrt werden; und  
  
die erfaßten in Beziehung stehenden Handelsgeschäfte nur für jene in Beziehung stehenden Handelsgeschäfte ausgeführt werden, deren Handelsdaten gesperrt wurden.
21. Verfahren nach Anspruch 20, wobei außerdem die erfaßten in Beziehung stehenden Handelsgeschäfte automatisch ausgeführt werden; dem ersten Händlerterminal gemeldet wird, daß die in Beziehung stehenden Handelsgeschäfte erfaßt und ausgeführt wurden; und die Ergebnisse der Ausführung dieser in Beziehung stehenden Handelsgeschäfte an das erste Händlerterminal übergeben werden.
22. Verfahren nach Anspruch 20, wobei außerdem eine Warnung erzeugt und zum ersten Händlerterminal übertragen wird, die meldet, daß in Beziehung stehende Handelsgeschäfte von der Erfassungseinrichtung erfaßt wurden; eine Eingangsanzeige von einem Händler empfangen wird, die anzeigt, ob die erfaßten in Beziehung stehenden Handelsgeschäfte durchgeführt werden sollen oder nicht; und die erfaßten in Beziehung stehenden Handelsgeschäfte abhängig von der Eingangsanzeige ausgeführt werden.
23. Verfahren nach einem der Ansprüche 20 bis 22, wobei die Kredit-Parameterdaten ein Kreditlimit für jede Handels-Gegenpartei, zu der die Händler gehören, von jeder anderen derartigen Gegenpartei enthalten.
24. Verfahren nach einem der Ansprüche 20 bis 23, wobei das Bestimmen in Beziehung stehender Handelsgeschäfte

auf Grundlage des Minimumspread-Parameters, des Durchschnittspread-Parameters, des Minimumgröße-Parameters und des Maximumgröße-Parameters erfolgt.

## 5 Revendications

### 1. Système de commerce électronique pour commerçants, le système comprenant :

une pluralité de terminaux (S1, S2, S3...) de commerçants servant à recevoir des données de paramètres de crédit permettant de déterminer si une transaction est autorisée ou refusée et destinés à recevoir et afficher des données commerciales, lesdites données commerciales comportant des informations de soumissions et/ou d'offres ; et

un ordinateur (101) connecté à ladite pluralité de terminaux de commerçants par l'intermédiaire d'un réseau de communication (102) et destiné à adapter ou refuser des transactions à l'aide desdites données de paramètres de crédit ;

caractérisé en ce que

lesdits terminaux (S1, S2, S3...) de commerçants sont conçus pour recevoir des données de paramètres d'arbitrage comprenant au moins un paramètre parmi un paramètre d'étalement minimal, un paramètre d'étalement moyen, un paramètre de volume minimal et un paramètre de volume maximal ;

caractérisé en outre par un moyen de détection servant à détecter des transactions concernées potentielles entre un premier terminal de commerçant et un deuxième terminal de commerçant et entre le premier terminal de commerçant et un troisième terminal de commerçant sur la base d'un contrôle desdites données commerciales, desdites données de paramètres de crédit et desdites données de paramètres d'arbitrage ;

par un moyen d'exécution servant à exécuter les transactions concernées détectées ; et

en ce que ledit moyen d'exécution comporte un moyen de blocage pour bloquer des données commerciales pour toutes lesdites transactions concernées avant l'exécution de l'une quelconque desdites transactions concernées pour assurer que toutes lesdites transactions concernées restent possibles pendant l'exécution desdites transactions concernées, ledit moyen d'exécution étant conçu pour n'effectuer aucune desdites transactions concernées à moins que les données commerciales pour toutes lesdites transactions concernées ne soient bloquées.

2. Système de commerce électronique selon la revendication 1, dans lequel ledit moyen d'exécution est conçu pour exécuter d'une manière automatique les transactions concernées détectées, le système comprenant en outre un moyen de notification pour aviser le premier terminal de commerçant que des transactions concernées ont été détectées et exécutées et pour fournir au premier terminal de commerçant les résultats de l'exécution desdites transactions concernées.

3. Système de commerce électronique selon la revendication 1, comprenant en outre un moyen de génération d'alerte servant à générer dans le premier terminal de commerçant une alerte destinée à signaler que des transactions concernées ont été détectées par ledit moyen de détection, ledit premier terminal de commerçant comportant un moyen pour recevoir une indication d'entrée d'un commerçant indiquant si lesdites transactions concernées détectées sont ou ne sont pas exécutées, et ledit moyen d'exécution réagissant à l'indication d'entrée pour exécuter lesdites transactions concernées.

4. Système de commerce électronique selon l'une quelconque des revendications 1 à 3, dans lequel lesdites données de paramètres de crédit comprennent des données représentant une limite de crédit pour chaque contrepartie à une transaction à laquelle appartiennent lesdits commerçants, les données étant fournies par chaque autre contrepartie.

5. Système de commerce électronique selon l'une quelconque des revendications précédentes, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées sur la base de chacun des paramètres

comprenant ledit paramètre d'étalement minimal, ledit paramètre d'étalement moyen, ledit paramètre de volume minimal et ledit paramètre de volume maximal.

- 5 6. Système de commerce électronique selon l'une quelconque des revendications précédentes, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées qui permettent une transaction d'origine représentée par des données commerciales demandées par ledit deuxième terminal de commerçant et ledit troisième terminal de commerçant ; et des données de paramètres de crédit relatives audit premier terminal de commerçant sont suffisantes en ce qui concerne les deuxième et troisième terminaux de commerçants pour mener à bien ladite transaction d'origine ; mais une transaction directe entre le deuxième terminal de commerçant et ledit troisième terminal de commerçant a tendance à être refusée.
- 10 7. Système de commerce électronique selon l'une quelconque des revendications précédentes, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées qui permettent une transaction d'origine demandée par ledit deuxième terminal de commerçant et ledit troisième terminal de commerçant en permettant audit deuxième terminal de commerçant de commercer avec ledit troisième terminal de commerçant sur la base des données de paramètres de crédit concernant le premier terminal de commerçant ; les données de paramètres de crédit concernant le premier terminal de commerçant, le deuxième terminal de commerçant et le troisième terminal de commerçant étant suffisants pour mener à bien ladite transaction d'origine ; mais une transaction directe entre le deuxième terminal de commerçant et le troisième terminal de commerçant a tendance à être refusée.
- 15 8. Procédé de commerce électronique utilisant un ordinateur (101) et une pluralité de terminaux (S1, S2, S3...) de commerçants, le procédé comprenant les étapes consistant à :  
20 recevoir des terminaux de commerçants des données de paramètres de crédit et des données commerciales et afficher des informations commerciales sur lesdits terminaux de commerçants, lesdites données commerciales comprenant des informations de soumissions et/ou d'offres fournies aux terminaux de commerçants ;  
25 transmettre les données de paramètres de crédit et lesdites données commerciales entre ladite pluralité de terminaux et ledit ordinateur (101) ;  
30 stocker lesdites données de paramètres de crédit et lesdites données commerciales ;  
caractérisé par les étapes consistant à :  
recevoir à chacun des terminaux de commerçants des données de paramètres d'arbitrage, les données de paramètres d'arbitrage comprenant au moins un paramètre parmi un paramètre d'étalement minimal, un paramètre d'étalement moyen, un paramètre de volume minimal et un paramètre de volume maximal ;  
35 bloquer des données commerciales pour toutes lesdites transactions concernées ;  
détecter des transactions concernées potentielles entre un premier terminal de commerçant et un deuxième terminal de commerçant et entre le premier terminal de commerçant et un troisième terminal de commerçant sur la base du contrôle desdites données commerciales, desdites données de paramètres de crédit et desdites données de paramètres d'arbitrage ; et  
40 exécuter lesdites transactions concernées détectées uniquement pour lesdites transactions concernées ayant des données commerciales bloquées.  
45
9. Procédé selon la revendication 8, comprenant en outre les étapes consistant à :  
50 aviser le premier terminal de commerçant de ce que des transactions concernées ont été détectées et exécutées, et fournir les résultats de l'exécution desdites transactions concernées.
10. Procédé selon la revendication 8, comprenant en outre les étapes consistant à :  
55 générer une alerte au premier terminal de commerçant pour signaler que des transactions concernées ont été détectées par ledit détecteur, recevoir une indication d'entrée d'un commerçant, indiquant s'il faut poursuivre ou ne pas poursuivre lesdites transactions concernées détectées, et exécuter lesdites transactions concernées détectées en fonction de l'indication d'entrée.

11. Procédé selon l'une quelconque des revendications 8 à 10, dans lequel lesdites données de paramètres de crédit comprennent une limite de crédit pour chaque contrepartie potentielle dans une transaction à laquelle appartiennent lesdits commerçants, les données étant fournies par chaque autre contrepartie.
- 5 12. Procédé selon l'une quelconque des revendications 8 à 11, dans lequel la détermination de transactions concernées repose sur chaque paramètre parmi ledit paramètre d'étalement minimal, ledit paramètre d'étalement moyen, ledit paramètre de volume minimal et ledit paramètre de volume maximal.
13. Ordinateur (101) destiné à être utilisé dans un système de commerce électronique, l'ordinateur comprenant :
  - 10 un moyen de connexion en réseau servant à établir une connexion avec une pluralité de terminaux (S1, S2, S3...) de commerçants par l'intermédiaire d'un réseau de communication (102) pour recevoir des données de paramètres de crédit et des données commerciales desdits terminaux (S1, S2, S3...) de commerçants, lesdites données commerciales comportant des informations de soumissions et/ou d'offres ; et
  - 15 un moyen pour accorder ou refuser des transactions à l'aide de données de paramètres de crédit ;caractérisé en ce que
  - 20 ledit moyen de connexion en réseau est conçu pour recevoir desdits terminaux de commerçants des données de paramètres d'arbitrage comprenant au moins un paramètre parmi un paramètre d'étalement minimal, un paramètre d'étalement moyen, un paramètre de volume minimal et un paramètre de volume maximal ;
  - 25 par un moyen de détection servant à détecter des transactions concernées potentielles entre un premier terminal de commerçant et un deuxième terminal de commerçant et entre le premier terminal de commerçant et un troisième terminal de commerçant sur la base du contrôle desdites données commerciales, desdites données de paramètres de crédit et desdites données de paramètres d'arbitrage ;
  - 30 par un moyen d'exécution pour les transactions concernées détectées ; et
  - 35 en ce que ledit moyen d'exécution comporte un moyen de blocage servant à bloquer des données commerciales pour toutes lesdites transactions concernées avant l'exécution de l'une quelconque desdites transactions concernées pour assurer que toutes lesdites transactions concernées restent possibles pendant l'exécution desdites transactions concernées, ledit moyen d'exécution étant conçu pour n'effectuer aucune transaction parmi lesdites transactions concernées à moins que les données commerciales pour toutes lesdites transactions concernées ne soient bloquées.
- 40 14. Ordinateur selon la revendication 14, dans lequel ledit moyen d'exécution est conçu pour exécuter de façon automatique les transactions concernées détectées, l'ordinateur comprenant en outre un moyen de notification servant à aviser le premier terminal de commerçant de ce que des transactions concernées ont été détectées et exécutées, et à fournir les résultats de l'exécution desdites transactions concernées au premier terminal de commerçant.
- 45 15. Ordinateur selon la revendication 13, comprenant en outre un moyen de génération d'alerte servant à générer une notification d'alerte à transmettre auxdits terminaux de commerçants pour signaler que des transactions concernées ont été détectées par ledit moyen de détection, et un moyen destiné à recevoir une indication d'entrée d'un commerçant indiquant s'il faut exécuter ou ne pas exécuter lesdites transactions concernées détectées, ledit moyen d'exécution réagissant à l'indication d'entrée reçue pour procéder à l'exécution de ladite transaction concernée en fonction de l'indication d'entrée reçue.
- 50 16. Ordinateur selon l'une quelconque des revendications 13 à 15, dans lequel lesdites données de paramètres de crédit comprennent des données représentant une limite de crédit pour chaque contrepartie à une transaction, à laquelle lesdits commerçants appartiennent, les données étant fournies par chaque autre contrepartie.
- 55 17. Ordinateur selon l'une quelconque des revendications 13 à 16, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées sur la base de chacun des paramètres comprenant ledit paramètre

d'étalement minimal, ledit paramètre d'étalement moyen, ledit paramètre de volume minimal et ledit paramètre de volume maximal.

18. Ordinateur selon l'une quelconque des revendications 13 à 17, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées qui permettent une transaction d'origine représentée par des données commerciales demandées par ledit deuxième terminal de commerçant et ledit troisième terminal de commerçant ; et les données de paramètres de crédit concernant ledit premier terminal de commerçant sont suffisantes en ce qui concerne les deuxième et troisième terminaux de commerçants pour mener à bien ladite transaction d'origine ; cependant, une transaction directe entre le deuxième terminal de commerçant et ledit troisième terminal de commerçant a tendance à être refusée.
19. Ordinateur selon l'une quelconque des revendications 13 à 18, dans lequel ledit moyen de détection est conçu pour détecter des transactions concernées qui permettent une transaction d'origine demandée par ledit deuxième terminal de commerçant et ledit troisième terminal de commerçant en permettant audit deuxième terminal de commerçant de commercer avec ledit troisième terminal de commerçant sur la base des données de paramètres de crédit concernant le premier terminal de commerçant ; les données de paramètres de crédit concernent le premier terminal de commerçant, le deuxième terminal de commerçant et le troisième terminal de commerçant étant suffisants pour mener à bien ladite transaction d'origine ; cependant, une transaction directe entre le deuxième terminal de commerçant et le troisième terminal de commerçant a tendance à être refusée.
20. Procédé d'utilisation d'un ordinateur(101) dans un système de commerce électronique, le procédé comprenant les étapes consistant à :
  - recevoir d'une pluralité de terminaux de commerçants des données de paramètres de crédit et des données commerciales, lesdites données commerciales comportant des informations de soumissions et/ou d'offres ; et
  - accorder ou refuser des transactions à l'aide desdites données de paramètres de crédit ;
  - caractérisé par les étapes consistant à
    - recevoir desdits terminaux de commerçants des données de paramètres d'arbitrage comprenant au moins un paramètre parmi un paramètre d'étalement minimal, un paramètre d'étalement moyen, un paramètre de volume minimal et un paramètre de volume maximal ;
    - détecter des transactions concernées potentielles entre un premier terminal de commerçant et un deuxième terminal de commerçant et entre le premier terminal de commerçant et un troisième terminal de commerçant sur la base du contrôle desdites données commerciales, desdites données de paramètres de crédit et desdites données de paramètres d'arbitrage ;
    - bloquer des données commerciales pour des transactions concernées détectées ; et
    - exécuter les transactions concernées détectées uniquement dans le cas des transactions concernées détectées ayant des données commerciales bloquées.
21. Procédé selon la revendication 20, dans lequel les transactions concernées détectées sont exécutées de manière automatique ; une notification est transmise au premier terminal pour aviser de ce que les transactions concernées ont été détectées et exécutées ; et les résultats de l'exécution des transactions concernées sont fournis au premier terminal de commerçant.
22. Procédé selon la revendication 20, dans lequel une notification d'alerte est générée et transmise au premier terminal de commerçant pour signaler que des transactions concernées ont été détectées ; une indication d'entrée fournie par le premier terminal de commerçant est reçue pour indiquer si lesdites transactions concernées détectées seront ou ne seront pas exécutées ; et les transactions concernées détectées sont exécutées en fonction de l'indication d'entrée.
23. Procédé selon l'une quelconque des revendications 20 à 22, dans lequel lesdites données de paramètres de crédit comprennent des données représentant une limite de crédit pour chaque contrepartie à une transaction à laquelle

**EP 0 873 549 B1**

appartiennent lesdits commerçants, les données étant fournies par chaque autre contrepartie.

24. Procédé selon l'une quelconque des revendications 20 à 23, dans lequel la détermination de transactions concernées repose sur chaque paramètre parmi ledit paramètre d'étalement minimal, ledit paramètre d'étalement moyen, ledit paramètre de volume minimal et ledit paramètre de volume maximal.

5

10

15

20

25

30

35

40

45

50

55




FIG.1

TRADING ENTITY	S1	S2	S3	S4
S1	—	0	25	2
S2	0	—	17	10
S3	10	7	—	5
S4	5	4	7	—

(DOLLARS IN INCREMENTS OF 1M)

FIG.2

BIDS		OFFERS	
$(S_1)$ 3@ 1.00		$(S_2)$ 5@ 1.00	
$(S_3)$ 7@ 0.90		$(S_4)$ 2@ 1.10	
BEST ←	1.00	BEST ←	1.00

MARKET BOOK

FIG.3

BIDS		OFFERS	
$(S_1)$ 3@ 1.00*			
$(S_3)$ 7@ 0.90		$(S_4)$ 2@ 1.10	
BEST ←	0.90	BEST ←	1.10

 $S_1$ 'S DISPLAY

FIG.4

BIDS		OFFERS	
		$(S_2)$ 5@ 1.00*	
$(S_3)$ 7@ 0.90		$(S_4)$ 2@ 1.10	
BEST ←	0.90	BEST ←	1.10

 $S_2$ 'S DISPLAY

FIG.5



BIDS		OFFERS	
$(S_1)$ 3@ 1.00		$(S_2)$ 5@ 1.00	
$(S_3)$ 7@ 0.90*		$(S_4)$ 2@ 1.10	
BEST→	1.00	BEST→	1.00

$S_3$ 's DISPLAY

FIG.5A

BIDS		OFFERS	
$(S_1)$ 3@ 1.00		$(S_2)$ 5@ 1.00	
$(S_3)$ 7@ 0.90		$(S_4)$ 2@ 1.10*	
BEST→	1.00	BEST→	1.00

$S_4$ 's DISPLAY

FIG.6A

FIG. 6B

MENU SETUP TRADE MODIFY DISPLAY CANCEL ADMIN									
<YTC> USER									
SYSTEM: SPOT MARKET QUOTE BEST QUOTE QUANTITY TRADER QUOTE TRADER QTY LAST P									
1	usd/gbp	1.5535/1.5536	1.5532/1.5538	(2)	LxL +			x	\$1.554
2	usd/dem	1.5432/1.5433	1.5428		4xL			x	\$1.543
3	usd/jpy	101.61/101.62	101.55/101.71	(4)	LxL			x	\$101.5
4	usd/frf	0.8422/0.8424			LxL			x	\$0.843
5	usd/chf	3.4184/3.4186	3.4184/3.4189		LxM +			x	\$3.418
6	dem/frf	2.1247/2.1249	2.1242/2.1254	(2)	LxL (5)			x	\$2.125
CALLS 0/24									
NO CURRENT CONVERSATIONS									
CNV CNTCT									
1522 CCY PAGE NAME ~REUTER SPOT RATES~CCY HIEURO~LO FXFX									
1523 DEM DBFX DEUTSCHE FFT 1.6755/82 ~ DEM 1.6660 1.6716									
1523 GBP LOYF LLOYDS LON 1.5005/15 ~ OBP 1.5040 1.4952									




FIG.7

AUTO-ARBITRAGE PARAMETER ENTRY			
INSTRUMENT	X	Y	Z
MIN. SPREAD	.01	.05	0
MIN. SIZE	3M	10M	1M
MAX. SIZE	—	11M	20M
AVG. SPREAD OK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
AUTO-EXECUTE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ALERT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		<input type="button" value="CANCEL"/>	<input type="button" value="OK"/>

FIG.8

AUTO-ARBITRAGE ALERT	
ON INSTRUMENT	<input checked="" type="checkbox"/>
BUY FROM	<input type="text" value="A"/> AT <input type="text" value="1.0000"/>
SELL TO	<input type="text" value="B"/> AT <input type="text" value="1.0200"/>
SPREAD	<input type="text" value=".02"/> VALUE <input type="text" value="6M"/>
<input type="button" value="EXECUTE"/> <input type="button" value="CANCEL"/>	

FIG.9




FIG.10




FIG. 11A





FIG. 11B





BANK S3-CREDIT AND NAME SWITCH PARAMETERS						
BANK	CREDIT LIMIT	CREDIT REMAIN	NAME SWITCH	MIN. SPREAD	MIN. AMOUNT	MAX. AMOUNT
S1	100M	90M	NO	—	—	—
S2	50M	50M	YES	.01	2M	5M
S4	500M	450M	YES	.02	2M	100M
				OK	CANCEL	

FIG.13

BANK S1-CREDIT AND NAME SWITCH PARAMETERS						
BANK	CREDIT LIMIT	CREDIT REMAIN	NAME SWITCH	MIN. SPREAD	MIN. AMOUNT	MAX. AMOUNT
S2	50M	10M	YES	.01	2M	5M
S3	10M	10M	YES	—	—	—
S4	500M	10M	YES	.02	5M	10M
				OK	CANCEL	

FIG.14A

BANK S2-CREDIT AND NAME SWITCH PARAMETERS						
BANK	CREDIT LIMIT	CREDIT REMAIN	NAME SWITCH	MIN. SPREAD	MIN. AMOUNT	MAX. AMOUNT
S1	10M	—	NO	—	—	—
S3	10M	10M	YES	.01	5M	20M
S4	50M	10M	NO	—	—	—
				OK	CANCEL	

FIG.14B

BANK S3-CREDIT AND NAME SWITCH PARAMETERS						
BANK	CREDIT LIMIT	CREDIT REMAIN	NAME SWITCH	MIN. SPREAD	MIN. AMOUNT	MAX. AMOUNT
S1	20M	10M	YES	.01	5M	10M
S2	5M	5M	NO	—	—	—
S4	25M	10M	YES	.03	10M	—
				OK	CANCEL	

FIG.14C

BANK S4-CREDIT AND NAME SWITCH PARAMETERS						
BANK	CREDIT LIMIT	CREDIT REMAIN	NAME SWITCH	MIN. SPREAD	MIN. AMOUNT	MAX. AMOUNT
S1	—	—	NO	—	—	—
S2	10M	10M	YES	.01	5M	20M
S3	20M	—	NO	—	—	—
				OK	CANCEL	

FIG.14D




FIG. 15




FIG. 16




FIG. 17




FIG. 18